Wyeth Research 401 North Middletown Road BH 21-127 Pearl River, NY 10965

Dennis J. Foley, Ph.D. Vice President Worldwide Regulatory Affairs

Wyeth

February 28, 2005

Mr. John Becher Centers for Disease Control/Drug Service, D-09 1600 Clifton Road Atlanta, GA 30333

COL John D. Grabenstein, RPh, Ph.D. Deputy Director for Military Vaccines U.S. Army Medical Command 5111 Leesburg Pike (Suite 401) Falls Church, VA 22041-3258

Re: STN 101106/5061 - Smallpox Vaccine, Dryvax® Extension of Dating

Dear Mr. Becher and COL Grabenstein:

Please note that Wyeth received approval on February 25, 2005 for BLA supplement 101106/5061 extension of dating for the following lots of Smallpox Vaccine Dryvax[®] kits:

Packaged Lot Number	Current Expiration Date	New Expiration Date
4020071	February 2005	June 2005
4020072	March 2005	June 2005
4020074	April 2005	June 2005

Please note that the storage period of the vaccine after reconstitution with diluent continues to be 90 days.

Sincerely yours,

Dennis J. Foley, Ph.D.

DJF:jm

cc: D. Staten (CBER)

D. Yeskey (CDC)